WTM+040UHP-C»Q \acute{A} \acute{O} </ \acute{n} A \acute{o} = 6Q Á Ñ 12.0MPa

 $>6\hat{U}^{"1}7'7\dot{O} </\tilde{n}A\hat{o} = ?L + \phi$.

f v Æ >6Û 8 ;"é P #8ç #]F‰

17 - +kB Æ0561-67126688


5‡ v Æwww.mofenli.net

V-UÆ

0551-63667960

$_$ R X 8 á $\tilde{\mathrm{a}}$ â (f $\hat{\mathrm{O}}$ ¥ Hefei Watech Membrane Equipment CO,.LTD

| 2 |
|-------|
| |
| 2 |
| 3 |
| |
| |
| 6 |
| |
| h |



? =#w0AB* D

V101 P101 P10 M101

1

V101 G101 G104 ZX101

G10 G105 G106 P101

V101 G101 G104 ZX101

G10 G105 G106 P101

ZX101

V101

=Aô =(~&ï

1. ,

15- ,

Bar

5.

4.

6. 1 4040 4040 7.5

50—5

7.

8

Ê • Aô = ø ¦

| | WTM-404WHP-1 | | | | |
|----|---|--|--|--|--|
| | 4040 | | | | |
| | 7.5 | | | | |
| | 1 | | | | |
| | 12.0Mpa | | | | |
| | 5—45 111 15L 250L/H 50—1@L/h 50—500L 5.5KW@380V | | | | |
| PH | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | 1.6m* 1m* 2m | | | | |

£ = 315 4 ú F

| | 1 | | | 1 | I | |
|----|----|--------------|------|---|---|--------|
| | | | | | | |
| 1 | | | | | 1 | |
| 2 | | 3 | FRPP | | 1 | |
| 3 | | | | | 1 | |
| | | | | | | |
| | | 5. 5kw | | | | |
| 4 | | | | | 1 | ABB |
| 5 | | 3 | | | 1 | cat |
| 6 | | PV4040-1000S | | | 1 | ROPV (|
| 7 | | PV4040-1800S | | | 1 |) |
| | | 100 | | | | |
| 8 | RO | 7. 5 | | | 4 | |
| 9 | | 160Bar | | | | |
| 10 | | 0- | | | 1 | |
| 11 | | 0- | | | 1 | |
| 12 | | 0-100 | | | | |
| 13 | | MPa | | | 1 | |
| 14 | | 6 | | | 1 | |
| 15 | | 6 | | | | |
| 16 | Y | 1 | | | 1 | |
| 17 | | | | | 1 | |
| 18 | | | | | 1 | |
| 19 | | 5. 5KW | | | 1 | |
| 20 | | | | | 1 | |

Hefei Watech Membrane Equipment CO,.LTD

9 •315 Û -

000.00

30

3

1

17%

$$i = A\hat{o} = 4()$$

Hefei Watech Membrane Equipment CO,.LTD

Hefei Watech Membrane Equipment CO,.LTD

Cat 3